

<b>Notice of References Cited</b>	Application/Control No. 10/535,655		Applicant(s)/Patent Under Reexamination AYGEN, SITKE	
	Examiner PATRICIA C. MALLARI		Art Unit 3735	Page 1 of 1

#### U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-2001/0021815 A1	09-2001	Katzman et al.	600/532
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

#### FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

#### NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Lembcke et al. "Exocrine pancreatic insufficiency: accuracy and clinical value of the uniformly labelled <sup>13</sup> C-Hiolein breath test". 1996, Gut 39: 6680674. Downloaded from gut.bmj.com on 12/9/07.
	V	
	W	
	X	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)  
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.